Chapter -1 Creating HTML Forms using KompoZer

1.	In HTML, Forms are u a) Forms	sed to help the vis b) links		1) 55 1 1	
2.	Thetag is us a) <form> </form> <th>ed to implement al n> out></th> <th>ll elements in HTM b) <html>d) <body><th>L form. tml> ody></th></body></html></th>	ed to implement al n> out>	ll elements in HTM b) <html>d) <body><th>L form. tml> ody></th></body></html>	L form. tml> ody>	
3.	Form element uses a) Action	types of attri b) Method		d) All of above	
4.	Theattr the data.	ibute specifies the	HTTP method to b	e used when sending	
	a) <u>Method</u>	b) Action	c) Name	d) All of above	
5.	In form, Method attribu a) GET	ite can take b) POST		d) Both a and b	
6.	Which method retrieves		e form and sends it	to the server by	
	attaching it at the end a get a	b) POST	c) SET	d) Both a and b	
7.	In themethod a) GET	l, the data is sent a b) POST	as a block through c) SET		
8.	The method do a) GET	•	strictions on data l c) SET	length. d) Both a and b	
9.	The default value for male (GET)		the form is c) SET		
10	. If the form submission	is active like mod	ifying a server side	database, our form	
	must use thea) GET	method. b) POST	c) SET	d) Both a and b	
11. If the form submission is passive, such as a search engine query, then we may use the method.					
	a) <u>GET</u>	b) POST	c) SET	d) Both a and b	
12. Theelements are used to insert various fields like radio button, textbox etc in the form.					
	a) Input	b) <form></form>	c) <body></body>	d) <html></html>	
13. Thetag is used to implement Input control element. a) <input/> b) <html></html> c) <form></form> d) <select></select>					

14. Which attribute of the input element specifies the field that is to be created in the form?					
a) Type	b) Name	c) Value	d) Maxlength		
15. Which attribute sp a) Type	pecifies the name to b	e used for the field c) Value	a a		
16. Which attribute sp a) Type	pecifies the default va b) Name		ne form? d) Maxlength		
17. The <u>value</u> attribute within text field when a) Type	e defines the text that en it is initially loaded b) Name				
18. field type a) <u>Text</u>	is used to enter text : b) Password		d) Checkbox		
19. field type, a) Text	character typed is o				
20. Theinput fi browser button.	eld usually takes the	form of a text inpu	t box followed by a		
a) Text	b) Password	c) <u>File</u>	d) Checkbox		
21. are us a) Text		tem from multiple a c) Radio buttons			
22. Generallya) Text		a single item from a c) Radio buttons			
23. The name of a groubutton, selection lis	=	n multiple choice se	lection fields like radio		
a) Same	b) unique	c) proper	d) admin		
24. When ais	s used, it places on the mark appearing wher				
a) Text		c) Radio buttons			
25. Thetag is used to create a drop down menu or select list field. a) <select> </select> b) <option></option> d) None of above					
26. The tag	select>	b) <option>< d) None of above</option>			
27. If we want to make a option selected by default in list field, we can addattribute to the <option> tag.</option>					
a) Selected	b) Checked	c) Clicked	d) initially selected		

28. The user can select a) Ctrl			in pull down menu. d) both a and b			
29. Theeld a) <u>Textarea</u>	ement allows multi b) Text	-	d) select			
line text box.	used to implemen		or comment box or multiple xt>			
c) <input/>		d) <se< td=""><td>lect></td></se<>	lect>			
31. Theeleme product.	nt can be used to	enter comment, rep	oort or a long description of			
-	b) Text	c) File	d) select			
32. The size of a text a) Rows	area element can b b) Cols		d) Both a and b			
33. In the Textarea, immediately.	if input exceeds the	e visible area, a	bar appears			
	b) Status	c) Title	d) Menu			
34. If user wants to reset all the values to their default value or blank into the form, then button is used.						
a) Submit	b) <u>Reset</u>	c) Login	d) Resend			
a) <u>Submit</u>		t the values of form c) Login				
36. The form handling a) CGI	ng programs may b b) ASP					
37. is a software.	are application tha	t provides complete	facilities to programmer to			
a) <u>IDE</u>	b) web brov	vser c) App	d) CGI			
38. is a fr a) <u>KompoZer</u>	ee open source we b) Front pa		software. d) PHP			
39. is a complete web authoring_system which integrates web page development and web file management.						
-	_	ge c) HTML	d) PHP			
40. A gives rapid access to the files on both local machines and remote						
servers. a) Site Manag	ger b) Web Mar	nager c) Web serve	er d) Work station			
41. To view the different tool bars and status bar click on a) View → Show / Hide b) Format → Show/Hide c) Edit → Show / Hide d) none						

42. In KompoZer, below th	e menu bar there	are tool-bars.				
a) Composition	b) Format	Toolbar1				
c) Format Toolbar2	d) All of ab	oove				
43. Which toolbar is used to page in Kompozer? a) Composition	b) Format	Toolbar1	e or publish a web			
c) Format Toolbar2 44. Thetoolbar are perform similar formatt. a) Composition c) Format Toolbar2	used to format the ing operations. b) Format	e text, add bullets, nur Toolbar1	nbering and			
 45. In the center of KompoZer window, there are						
sites. a) Site Manager	b) Web Ma:	nager				
a) <u>Site Manager</u>c) Web server	d) Work sta	ation				
47. Edit mode toolbar have a) Normal			d) All of above			
48. Themode a) Normal						
49. The links does not open a) Normal			d) All of above			
50. Inmode that a) Normal			d) All of above			
,	, 3	, 1	,			
51. The view a) Normal	· · · · · · · · · · · · · · · · · · ·		d) All of above			
52. In KompoZer, the	tab is u	sed to design the web	nage.			
	b) Design		d) All of above			
FO I II // // //	. 1 1' 1	1 177341 6.1	, 1			
53. In KompoZer, the a) Split						
54. In KompoZer,		n editing of source cod c) Source				
55. In KompoZer when we	click File → New,	a dialog box appears w	vithtitle.			
<u>-</u>		ate b) new docume				
c) design document	-	d) Template				

56. To Create a form in Ko	-	-			
a) Insert \rightarrow Form $-$	→ Define Form	b) Form → Define	e form		
c) Insert → Define fo	orm	d) Define form			
57. Intab of form properties dialog box, enter the file name where you want the form data to be submitted.					
a) Name	b) Action URL	c) Method	d) Form		
58. In working area of Komuntitled page.	-				
a) Black	b) <u>light blue</u>	c) light red	d) light green		
59. In KompoZer, all the fo	orm elements will b b) Red	-	dotted box. d) Orange		
Kompozer.	nd reset buttons, o	click onmer			
 a) <u>Insert → Form −</u> c) Form → Form file 		b) Insert → Form fieldd) Format → Form Field	i		
61option is selected properties to our field.a) More Properties	ed in form field dia b) Propertie				
62. If you want to show some text in the	textbox of form	-			
63. At the time of file savin box is used.	g, to give a proper	title of your web page, .	dialog		
a) File name	b) Page Title	c) Page Name	d) Name		
64. To save the KompoZer a) .htm	or HTML file, with b) .html		oth a and b		
65. The home page that will open when user type the website's URL, the page save					
with the name a) index.html	b) home.html	c) untitled.html	d) *.html		
66. Theoption is the user wants to select a) Selected b)	by default value i				
67. When we create the rac		a group, the group nam	e must be		
the for all the pos a) Same	sible answers. b) unique	c) proper	d) public		

68. In KompoZer, to insert a) Form → Selection c) Format → Form fi	on List b) In		→ Form Fi	_
69. To insert the list member of selection list dialog bean a) Add Option	00X.			d) Select option
70. In KompoZer, to give a a) Format → Backgr c) Format → Page Co	round b) <u>Fo</u>	$\mathbf{prmat} \to \mathbf{Pag}$	e Colors an	
 71. To open KompoZer clic a) Application → Pr c) Application → Int 	ogramming \rightarrow Kon	npoZer	b) Applicati	on → KompoZei i nd c
72. When any item in page a) Status Bar	e is clicked, on wh b) Title bar	-		
73. What is the default for a) Untitled	m name in Kompo b) Document.		d) All	of above
74. What is the use of type a) To specify the fiel b) To specify the name	d that is to be cre	eated_		
75. What is the use of nana) To specify the field to b) To specify the nan	hat is to be create	d		
76. What is used to accept a) CSS	t the data over the b) Form	web? c) Link		d) Table
77. What is the default fie a) Textbox	eld to create a form b) Submit Button		lection	d) Reset buttor
 78. Which option is used in a) Form → Text Area b) Form → Form Field 	-	sert the textar	rea field?	
 79. Which option is used in a) Form → Form Field of c) Form → Define form 	→ Define Label	b) Fo	o rm → Defin rm → Label	e Label

80. Which label will be seen at the bottom of "file \rightarrow new" dialog box?

c) Create

c) HTML Tags

b) Insert on

81. In which view the form are shown surrounded blue dotted box?

b) Preview

a) **Create in**

a) **Normal view**

d) Define in

d) Source

			RSCD				
82. All three modes of Koma) Editing	npoZer provides what b) Scrolling	nich facility? c) Design	d) Insert				
83. Which shows a blank to a) Site Manager	antitled web page? b) Page Pane	c) Slide Pane	d) Page Source				
84. What is the short cut land a) F5	key to close site ma b) <u>F9</u>	nnager? c) F7	d) F11				
85. In which mode the scrial Preview	ipt do not run? b) Design	c) HTML Tags	d) Source				
86. In "HTML Tag view" whelements?	nich color marker i	s used to indicate	the start tag for all				
a) Yellow	b) Blue.	c) Orange	d) Green				
87. In KompoZer which tal a) Split Tab	b shown all details b) Source Tab	of the HTML code? c) HTML Tags	e d) Normal				
	88. What is the URL address to download KompoZer? a) www.KompoZer.co.in c) Kompozer.in d) None						
89. Which are the Open Soa) KompoZer	ource IDE software b) Eclipse, Jbuild		s. d) <u>All of above</u>				
90. What is provides by an IDE? a) GUI, Text or code editor c) a debugger b) a compiler and /or interpreter d) All of above							
91. A radio button input shows in which shape? a) A circle with a dot inside b) A square with a tick mark. d) Square							
92. To avoid which type of error in the password entry, it is advisable to ask the user to confirm password.							
a) System	b) Typographic	c) Debugging	d) Display				
93. Which form's attribute a) Action	takes a file name b) Method	as value? c) Name	d) Size				
94. Which allow more integal Form	ractivity and contro b) Script	ol data entry to uso c) Link	er? d) Table				

Text book Exercise

1.	• Which of the following is a container used to collect different kinds of inputs from					
	the user?					
	a)	Form	b) Webpage	c) Text	d) <u>In</u>	<u>put</u>
2.	Whic	h of the follo	owing element is t	used to create an	HTML form.?	
	a)	Textarea	b) <u>Form</u>	c) Select and op	otion d) In	put
3.	Whic	h of the follo	owing is the tag u	used to implement	form element	.
	a)	<form><</form>	< <u>/form></u> b) <	form> <form></form>		
	c)	<	/form> d) <	frm>		
4.	Whic	h of the follo	owing attribute of	form is used to sp	ecify where to	send the form
	data	when the fo	rm is submitted?			
	a)	Method	b) <u>action</u>	c) submit	d) in	put
5.	Whic	h of the follo	owing attribute of	form specifies the	HTTP method	d to be used
	when	sending the	e data?			
	a)	Submit	b) action	c) <u>metho</u>	<u>d</u> d) in	put
6.	Whic	h of the follo	owing values are	used by method a	ttribute?	
	a)	GET and F	POST b) GET ar	nd SET c) GET ar	nd PUT d) SI	ET and POST
7 .	Whic	h of the follo	owing method allo	ows only a limited	amount of inf	ormation to be
	sent	at a time?				
	a)	<u>GET</u>	b) POST	c) SET	d) Pl	JT
8.	Whic	h of the follo	owing method ser	ids the data as a b	lock through	the HTTP
	trans	saction?				
	a)	GET	b) SET	c) PUT	d) P (<u>OST</u>
9.	Whic	h of the follo	owing attribute of	the input element	specifies field	l that is to be
	creat	ed in the for	m?			
	a)	Input	b) Type	c) Name		d) Value
10	. Whi	ch of the foll	owing element al	lows multi- line te	xt input?	
	a)	<u>Textarea</u>	b) Input	c) Select	and option	d) Form
11	. Whi	ch of the foll	owing element is	used to create a d	rop down list	or menu in a
	form	?				
	a)	Input	b) Textarea	c) <u>Select</u>		d) Form
12	12. Which of the following is a free open source web development IDE?					
	a)	HTML	b) Kompozer	c) Scite		d) Base

- 13. Which of the following stands for "WYSIWYG"?
 - a) When You See Is When You Get
- b) What You See Is When You Get
- c) What You See Is What You Get
- d) When You See Is What You Get

Full Forms:-

- 1. $IDE \rightarrow Integrated Development Environment.$
- 2. $GUI \rightarrow Graphical User Interface.$
- 3. $CSS \rightarrow \underline{\textbf{Cascading Style Sheet.}}$